						BES	ST A	NAI	LAB	LE (COt	b		
· ···	FE	E CA	LCUL WITH	MOITA	SHE	ET		APPLICATION STATE						
							LAIMS	3		· · · · · ·		·		
	AS FILED AFTER AFTER								. 10 1	ILED.	APTER AFTER			ER
	IND. DEP.		IND. DEP.		IND, DEP.				IND.	DEP.	1417/00	O)ODIT	IND. DEP.	
1						- DIA:		51	II(D.	DEF.	IND.	DEP.	IND.	DEP.
<u>2</u> 3	<u> </u>	-	1					52						
4			-	-				53						
5							·	54 55					<u> </u>	
-6-	<u> </u>						·	56						
8				上十	1-			57 58	 			-		
9 _	 		 				1	59		 	 	 		
11	1	1-	1	┼-┼-	 	 	1	60						
12						 	1	62	 	-		 		
13 14	 	-		 			1	63		1	 	1	-	
15		. -	 	 	4	-	1	64	<u> </u>					
16						1	1	65	-	-	<u> </u>	-		
17 18	-	 		-			1.	67		 		 - '		-
19			1	-	╂┷	 	1	68					 	
20						 	İ	69 70	 					
21 22	-	 	 					71	-	-		┼	 	-
23			 	 	 	 		72						
24						 		73 74						
25		 	 					75.				 		
27			·					76			 	 	 	
28								77	·			·		
<u>29</u> .	-							78			<u> </u>			
31						<u> </u>		80				-	-	
32							٠.	81						
33						-		* 82 - 83	 		ļ		-	
34 35								84		-			<u> </u>	
36		· ·						85			 :			
37					·	·		86						
38	·							87 88 ′	<u> </u>		<u> </u>			
39 40								89				 	<u> </u>	
41								90						
42								91 · 92			-			
43						·		93						
45				· .			i	94			 		<u> </u>	
46						·		95						
47								'96						
48								97						
49 50								99				-	<u> </u>	
TOTAL	<u> </u>			70				100	·		<u> </u>			
TOTAL		Ψ		Ψ	<u> </u>	4		TOTAL DIA.		¥		4.	 	¥
DD.		4		4		4		TOTAL		3		•	<u> </u>	,
TOTAL			10				l	TOTAL		+	L	-	ı.	· ←